

Table 5A-11. Number of great egrets detected during field surveys.

Habitat Type*	Iron Gate-Shasta	Iron Gate Reservoir	Fall Creek	Copco Bypass	Copco Reservoir	J.C. Boyle Peaking Reach	J.C. Boyle Bypass	J.C. Boyle Reservoir	Keno Canyon	Keno Reservoir	Link River	Total
Plot Surveys	(n=18)	(n=38)	(n=16)	(n=4)	(n=37)	(n=72)	(n=22)	(n=20)	(n=18)	(n=23)	(n=18)	(n=286)
Disturbed											1	1
Flyover								3	1	1	8	13
Lacustrine Unconsolidated Bottom										2	3	5
Palustrine Emergent Wetland											1	1
Riparian/Wetland Forest										1		1
Riparian/Wetland Scrub-shrub							1				2	3
Riverine Unconsolidated Bottom									12		16	28
Facility Surveys	(n=1)	(n=3)	(n=4)	(n=3)		(n=1)	(n=2)		(n=1)		(n=3)	(n=18)
All Habitats									5		10	15
Reservoir Surveys		(n=4)			(n=4)			(n=2)		(n=4)	(n=1)	(n=15)
All Habitats								1		17		18
Total							1	4	18	21	41	85

*Detections were not recorded in habitat types not included in table.