

Table 5A-17. Number of Vaux's swifts detected during field surveys.

Habitat Type*	Iron Gate-Shasta	Iron Gate Reservoir	Fall Creek	Copco Bypass	Copco Reservoir	J.C. Boyle Peaking Reach	J.C. Boyle Bypass	J.C. Boyle Reservoir	Keno Canyon	Keno Reservoir	Link River	Total
<b>Plot Surveys</b>	<i>(n=18)</i>	<i>(n=38)</i>	<i>(n=16)</i>	<i>(n=4)</i>	<i>(n=37)</i>	<i>(n=72)</i>	<i>(n=22)</i>	<i>(n=20)</i>	<i>(n=18)</i>	<i>(n=23)</i>	<i>(n=18)</i>	<i>(n=286)</i>
Flyover	1					4	1					6
Grassland						1						1
Lacustrine Unconsolidated Bottom					2							2
Montane Hardwood Oak					1							1
Pasture						3						3
Ponderosa Pine								2				2
Riparian/Wetland Forest					3	3						6
Riparian/Wetland Scrub-shrub			1				3					4
Riparian Grass					1	3						4
Riverine Unconsolidated Bottom						17						17
<b>Facility Surveys</b>	<i>(n=1)</i>	<i>(n=3)</i>	<i>(n=4)</i>	<i>(n=3)</i>		<i>(n=1)</i>	<i>(n=2)</i>		<i>(n=1)</i>		<i>(n=3)</i>	<i>(n=18)</i>
All Habitats		8	12									20
<b>Total</b>	<b>1</b>	<b>8</b>	<b>13</b>		<b>7</b>	<b>31</b>	<b>4</b>	<b>2</b>				<b>66</b>

\*Detections were not recorded in habitat types not included in table.