


BLM Fence	Standards	for	Livestock	and	Wildlife

Kinds of Livestock and Wild Burros	Predominant Big Game Wildlife Species	Number Wires	Max. Fence Height in Inches	Wire Spacing (From Ground Up, in Inches)	Wire Type	No. Stays Between Line Posts w/Spacing of 16.5' - 30'
STANDARD BUREAU	FENCES:					
Cattle	None	4	42	16, 6, 8, 12	Barbed.	1 to 4
Sheep	None	-	36	2, 24 (Woven) 2, 8	Woven, barbed.	
STANDARD BUREAU	MODIFICATIONS T	O MEET 1	MULTIPLE-USE N	EEDS:		
Cattle (only)	Antelope, Javelina, or Deer and Antelope.	3	38	16, 10, 12	Bottom strand smooth, others barbed.	One w/post spacing of 16.5' 1 or 2 w/post spacing of 30'.
Sheep (omly)	Antelope, Javelina or Deer	4	32	12, 6, 6, 8 16.5' — 1 or 2	Bottom strand smooth, others barbed.	One w/post spacing of 16.5' 1 to 3 w/post spacing of 30'.
Cattle and Sheep (Use only where sheep control is necessary.)	Antelope Javelina or Deer	4	38	15, 7, 8, 8	Bottom strand smooth, others barbed.	One w/post spacing of 16.5' 1 to 3 w/post spacing of 30'.
Cattle and Sheep (normal conditions)	Deer, Elk Moose, or Antelope.	3	38	16, 10, 12	Bottom strand smooth, others barded.	1 to 4
Cattle and sheep (Requires greater restriction of livestock movements.)	Deer, Elk, Moose, or Antelope.	4	40	16, 6, 6, 12	Barbed.	1 to 4
Cattle	Bighorn Sheep	3	39	20, 15, 4	Barbed.	1 to 4
Cattle, Wild Burros	Bighorn Sheep (Use around watering area		42	18 to bottom rail; 34 and 42 to top of middle and top rails.	Rails 2"-3" diameter.	Line Post spacing 10 feet
Cattle, Wild Burros	Bighorn Sheep	6	38	18, 4, 4, 4 4, 4	Bottom strand smooth, others barbed.	1 to 2

Chapter 4

BLM WIRE SPACING STANDARDS NOT TO SCALE



For Bighorn Watering Areas;

