




LEGEND

TES PLANTS

GENERALIZED VEGETATION CATEGORIES

CONIFER FOREST

MIXED CONIFER/DECIDUOUS FOREST

DECIDUOUS FOREST

UPLAND SHRUB

GRASSLAND

AGRICULTURE

RIPARIAN

PALUSTRINE WETLAND

OPEN WATER

EXPOSED ROCK/ROCK TALUS

DEVELOPED/DISTURBED

PRIMARY STUDY AREA

SECONDARY STUDY AREA

PROJECT SECTION BOUNDARY

HIGHWAY

ROAD

TRANSMISSION LINE

STREAM

LABEL ¹	SCIENTIFIC NAME	COMMON NAME
ASAP	<i>Astragalus applegatei</i>	Applegate's milkvetch
CAGR	<i>Calochortus greenii</i>	Green's mariposa lily
CYMO	<i>Oxytripedium montanum</i>	Mountain lady's slipper
HEBO	<i>Helianthus bolanderi</i>	Bolander's sunflower
HECU	<i>Heliotropium curvassavicum</i>	Salt heliotrope
	<i>Limnanthes floccosa</i> ssp. <i>bellingera</i>	Bellinger's meadow foam
LIFLB		
MIPY	<i>Minulus pygmaeus</i>	Egg lake monkeyflower
PEER	<i>Perideridia erythrorhiza</i> ²	Red-root yampah/ Gaidner's yampah
PEHO	<i>Perideridia howellii</i>	Howell's yampah-root
ROCO	<i>Rorippa columbiae</i>	Columbia yellow cress
SADOI	<i>Savia doriai</i> var. <i>incana</i>	Fleshy sage
SCOPE	<i>Scirpus pendulus</i>	Pendulus bulrush
SILE	<i>Silene lemmonii</i> ³	Lemmon's silene/ Campanulate catchfly
THBR	<i>Thelypodium brachycarpum</i>	Short-podded thelypody

1. Number at end of plot label is unique population identifier.


2. The identification of red root yampah has not been confirmed at any of these locations (see Section 5.7.1.1). Specimens collected at four different sites were determined to be Gaidner's yampah; the site labels for these sites are PEGA (*Perideridia gaidneri*).

3. Observed *Silene* specimens keyed to *Silene campanulatum* (see Section 5.7.1.1).

04,0008,000


Feet

1 inch = 4000 feet



Klamath Hydroelectric Project

Figure 5.7-1 (1 of 5)
TES Plants



LEGEND

TES PLANTS

GENERALIZED VEGETATION CATEGORIES

CONIFER FOREST

MIXED CONIFER/DECIDUOUS FOREST

DECIDUOUS FOREST

UPLAND SHRUB

GRASSLAND

AGRICULTURE

RIPARIAN

PALUSTRINE WETLAND

OPEN WATER

EXPOSED ROCK/ROCK TALUS

DEVELOPED/DISTURBED

PRIMARY STUDY AREA

SECONDARY STUDY AREA

PROJECT SECTION BOUNDARY

HIGHWAY

ROAD

TRANSMISSION LINE

STREAM

LABEL ¹	SCIENTIFIC NAME	COMMON NAME
ASAP	<i>Astragalus applegatei</i>	Applegate's milkvetch
CAGR	<i>Calochortus greenii</i>	Green's mariposa lily
CYMO	<i>Oxytripedium montanum</i>	Mountain lady's slipper
HEBO	<i>Helianthus bolanderi</i>	Bolander's sunflower
HECU	<i>Heliotropium curvassavicum</i>	Salt heliotrope
	<i>Limnanthes floccosa</i> ssp.	
LIFLB	<i>bellingera</i>	Bellinger's meadow foam
MIPY	<i>Minulus pygmaeus</i>	Egg lake monkeyflower
PEER	<i>Perideridia erythrorhiza</i> ²	Red-root yampah/ Gaidner's yampah
PEHO	<i>Perideridia howellii</i>	Howell's yampah-root
ROCO	<i>Rorippa columbiae</i>	Columbia yellow cress
SADOI	<i>Savia doriai</i> var. <i>incana</i>	Fleshy sage
SCOPE	<i>Scirpus pendulus</i>	Pendulus bulrush
SILE	<i>Silene lemmonii</i> ³	Lemmon's silene/ Campanulate catchfly
THBR	<i>Thelypodium brachycarpum</i>	Short-podded thelypody

1. Number at end of plot label is unique population identifier.


2. The identification of red root yampah has not been confirmed at any of these locations (see Section 5.7.1.1). Specimens collected at four different sites were determined to be Gaidner's yampah; the site labels for these sites are PEGA (*Perideridia gaidneri*).

3. Observed *Silene* specimens keyed to *Silene campanulatum* (see Section 5.7.1.1).

04,0008,000


1 inch = 4000 feet

Feet



Klamath Hydroelectric Project

Figure 5.7-1 (2 of 5)
TES Plants



LEGEND

TES PLANTS

GENERALIZED VEGETATION CATEGORIES



- CONIFER FOREST
- MIXED CONIFER/DECIDUOUS FOREST
- DECIDUOUS FOREST
- UPLAND SHRUB
- GRASSLAND
- AGRICULTURE
- RIPARIAN
- PALUSTRINE WETLAND
- OPEN WATER
- EXPOSED ROCK/ROCK TALUS
- DEVELOPED/DISTURBED
- PRIMARY STUDY AREA
- SECONDARY STUDY AREA
- PROJECT SECTION BOUNDARY
- HIGHWAY
- ROAD
- TRANSMISSION LINE
- STREAM

LABEL ¹	SCIENTIFIC NAME	COMMON NAME
ASAP	<i>Astragalus applegatei</i>	Applegate's milkvetch
CAGR	<i>Calochortus greenii</i>	Green's mariposa lily
CYMO	<i>Oxytripedium montanum</i>	Mountain lady's slipper
HEBO	<i>Helianthus bolanderi</i>	Bolander's sunflower
HECU	<i>Heliotropium curvassavicum</i>	Salt heliotrope
LIFLB	<i>Limnanthes floccosa</i> ssp. <i>bellingera</i>	Bellinger's meadow foam
MIPY	<i>Minulus pygmaeus</i>	Egg lake monkeyflower
PEER	<i>Perideridia erythrorhiza</i> ²	Red-root yampah/ Gaidner's yampah
PEHO	<i>Perideridia howellii</i>	Howell's yampah-root
ROCO	<i>Rorippa columbiae</i>	Columbia yellow cress
SADOI	<i>Savia doriai</i> var. <i>incana</i>	Fleshy sage
SCPE	<i>Scirpus pendulus</i>	Pendulus bulrush
SILE	<i>Silene lemmonii</i> ³	Lemmon's silene/ Campanulate catchfly
THBR	<i>Thelypodium brachycarpum</i>	Short-podded thelypody

1. Number at end of plot label is unique population identifier.


2. The identification of red root yampah has not been confirmed at any of these locations (see Section 5.7.1.1). Specimens collected at four different sites were determined to be Gaidner's yampah; the site labels for these sites are PEGA (*Perideridia gaidneri*).


3. Observed *Silene* specimens keyed to *Silene campanulatum* (see Section 5.7.1.1).



Klamath Hydroelectric Project

Figure 5.7-1 (3 of 5)
TES Plants





LEGEND

TES PLANTS

GENERALIZED VEGETATION CATEGORIES

CONIFER FOREST

MIXED CONIFER/DECIDUOUS FOREST

DECIDUOUS FOREST

UPLAND SHRUB

GRASSLAND

AGRICULTURE

RIPARIAN

PALUSTRINE WETLAND

OPEN WATER

EXPOSED ROCK/ROCK TALUS

DEVELOPED/DISTURBED

PRIMARY STUDY AREA

SECONDARY STUDY AREA

PROJECT SECTION BOUNDARY

HIGHWAY

ROAD

TRANSMISSION LINE

STREAM

LABEL ¹	SCIENTIFIC NAME	COMMON NAME
ASAP	<i>Astragalus applegatei</i>	Applegate's milkvetch
CAGR	<i>Calochortus greenii</i>	Green's mariposa lily
CYMO	<i>Oxytripedium montanum</i>	Mountain lady's slipper
HEBO	<i>Helianthus bolanderi</i>	Bolander's sunflower
HECU	<i>Heliotropium curvassavicum</i>	Salt heliotrope
LIFLB	<i>Limnanthes floccosa</i> ssp. <i>bellingera</i>	Bellinger's meadow foam
MIPY	<i>Minulus pygmaeus</i>	Egg lake monkeyflower
PEER	<i>Perideridia erythrorhiza</i> ²	Red-root yampah/ Gairdner's yampah
PEHO	<i>Perideridia howellii</i>	Howell's yampah-root
ROCO	<i>Rorippa columbiae</i>	Columbia yellow cress
SADOI	<i>Savia doriai</i> var. <i>incana</i>	Fleshy sage
SCPE	<i>Scirpus pendulus</i>	Pendulus bulrush
SILE	<i>Silene lemmonii</i> ³	Lemmon's silene/ Campanulate catchfly
THBR	<i>Thelypodium brachycarpum</i>	Short-podded thelypody

1. Number at end of plot label is unique population identifier.


2. The identification of red root yampah has not been confirmed at any of these locations (see Section 5.7.1.1). Specimens collected at four different sites were determined to be Gairdner's yampah; the site labels for these sites are PEGA (*Perideridia gairdneri*).

3. Observed *Silene* specimens keyed to *Silene campanulatum* (see Section 5.7.1.1).

040008000

Feet

1 inch = 4000 feet



Klamath Hydroelectric Project

Figure 5.7-1 (5 of 5)
TES Plants