




LEGEND

WEED POPULATION (EDAW-IDENTIFIED)

WEED POPULATION (BLM-IDENTIFIED)

RIPARIAN VEGETATION SAMPLING LOCATION

WEEDS PRESENT

WEEDS NOT PRESENT

UPLAND VEGETATION SAMPLING LOCATION

WEEDS PRESENT

WEEDS NOT PRESENT

GENERALIZED VEGETATION CATEGORIES

CONIFER FOREST

MIXED CONIFER/DECIDUOUS FOREST

DECIDUOUS FOREST

UPLAND SHRUB

GRASSLAND

AGRICULTURE

RIPARIAN

PALUSTRINE WETLAND

OPEN WATER

EXPOSED ROCK/ROCK TALUS

DEVELOPED/DISTURBED

PRIMARY STUDY AREA

SECONDARY STUDY AREA

PROJECT SECTION BOUNDARY

HIGHWAY

ROAD

TRAIL

STREAM

LABEL	SCIENTIFIC NAME	COMMON NAME
ACRE	<i>Acroptilon repens</i>	Russian knapweed
CADR	<i>Cardaria draba</i>	Hoary cress
CEDI	<i>Centaurea diffusa</i>	Diffuse knapweed
CESO	<i>Centaurea solstitialis</i>	Yellow starthistle
CIAR	<i>Cirsium arvense</i>	Canada thistle
CYSC	<i>Cytisus scoparius</i>	Scotch broom
HYPE	<i>Hypericum perforatum</i>	Klamath weed
ISTI	<i>Isatis tinctoria</i>	Dyer's woad
LELA	<i>Lepidium latifolium</i>	Tall whitetop
LIDA	<i>Linaria dalmatica</i>	Dalmation toadflax
ONAC	<i>Onopordum acanthium</i>	Scotch thistle
SAAE	<i>Savia Aethiops</i>	Mediterranean sage
TRTE	<i>Tribulus terrestris</i>	Puncture vine
XASP	<i>Xantium spinosum</i>	Spiney clotbur

Number at end of EDAW and BLM plot label is a unique population identifier.


0

3,700

7,400


Feet


1 inch = 3700 feet



Klamath Hydroelectric Project

Figure 8.7-1 (1 of 6)
Noxious Weed Locations





LEGEND

WEED POPULATION (EDAW-IDENTIFIED)

WEED POPULATION (BLM-IDENTIFIED)

RIPARIAN VEGETATION SAMPLING LOCATION

WEEDS PRESENT

WEEDS NOT PRESENT

UPLAND VEGETATION SAMPLING LOCATION

WEEDS PRESENT

WEEDS NOT PRESENT

GENERALIZED VEGETATION CATEGORIES

CONIFER FOREST

MIXED CONIFER/DECIDUOUS FOREST

DECIDUOUS FOREST

UPLAND SHRUB

GRASSLAND

AGRICULTURE

RIPARIAN

PALUSTRINE WETLAND

OPEN WATER

EXPOSED ROCK/ROCK TALUS

DEVELOPED/DISTURBED

PRIMARY STUDY AREA

SECONDARY STUDY AREA

PROJECT SECTION BOUNDARY



HIGHWAY

ROAD

TRAIL


STREAM

LABEL	SCIENTIFIC NAME	COMMON NAME
ACRE	<i>Acroptilon repens</i>	Russian knapweed
CADR	<i>Cardaria draba</i>	Hoary cress
CEDI	<i>Centaurea diffusa</i>	Diffuse knapweed
CESO	<i>Centaurea solstitialis</i>	Yellow starthistle
CIAR	<i>Cirsium arvense</i>	Canada thistle
CYSC	<i>Cytisus scoparius</i>	Scotch broom
HYPE	<i>Hypericum perforatum</i>	Klamath weed
ISTI	<i>Isatis tinctoria</i>	Dyer's woad
LELA	<i>Lepidium latifolium</i>	Tall whitetop
LIDA	<i>Linaria dalmatica</i>	Dalmation toadflax
ONAC	<i>Onopordum acanthium</i>	Scotch thistle
SAAE	<i>Savia Aethiops</i>	Mediterranean sage
TRTE	<i>Tribulus terrestris</i>	Puncture vine
XASP	<i>Xantium spinosum</i>	Spiney clotbur



Klamath Hydroelectric Project

Figure 8.7-1 (3 of 6)
Noxious Weed Locations



LEGEND

WEED POPULATION (EDAW-IDENTIFIED)

WEED POPULATION (BLM-IDENTIFIED)

RIPARIAN VEGETATION SAMPLING LOCATION

WEEDS PRESENT

WEEDS NOT PRESENT

UPLAND VEGETATION SAMPLING LOCATION

WEEDS PRESENT

WEEDS NOT PRESENT

GENERALIZED VEGETATION CATEGORIES

CONIFER FOREST

MIXED CONIFER/DECIDUOUS FOREST

DECIDUOUS FOREST

UPLAND SHRUB

GRASSLAND

AGRICULTURE

RIPARIAN

PALUSTRINE WETLAND

OPEN WATER

EXPOSED ROCK/ROCK TALUS

DEVELOPED/DISTURBED

PRIMARY STUDY AREA

SECONDARY STUDY AREA

PROJECT SECTION BOUNDARY

HIGHWAY

ROAD

TRAIL

STREAM

LABEL	SCIENTIFIC NAME	COMMON NAME
ACRE	<i>Acroptilon repens</i>	Russian knapweed
CADR	<i>Cardaria draba</i>	Hoary cress
CEDI	<i>Centaurea diffusa</i>	Diffuse knapweed
CESO	<i>Centaurea solstitialis</i>	Yellow starthistle
CIAR	<i>Cirsium arvense</i>	Canada thistle
CYSC	<i>Cytisus scoparius</i>	Scotch broom
HYPE	<i>Hypericum perforatum</i>	Klamath weed
ISTI	<i>Isatis tinctoria</i>	Dyer's woad
LELA	<i>Lepidium latifolium</i>	Tall whitetop
LIDA	<i>Linaria dalmatica</i>	Dalmation toadflax
ONAC	<i>Onopordum acanthium</i>	Scotch thistle
SAAE	<i>Savia Aethiops</i>	Mediterranean sage
TRTE	<i>Tribulus terrestris</i>	Puncture vine
XASP	<i>Xantium spinosum</i>	Spiney clotbur

Number at end of EDAW and BLM plot label is a unique population identifier.

0

3,700

7,400

Feet

1 inch = 3700 feet

Tile 4 of 6

OREGON


CALIFORNIA

Klamath Hydroelectric Project

Figure 8.7-1 (4 of 6)

Noxious Weed Locations

PACIFICORP © February 2004 PacificCorp \\RDD\PROJECTS\RDDGIS\PACIFICORP\MXDS\CH_FIGURE8_7-1.MXD FIGURE8_7-1.PDF 01/19/2004



LEGEND

WEED POPULATION (EDAW-IDENTIFIED)

WEED POPULATION (BLM-IDENTIFIED)

RIPARIAN VEGETATION SAMPLING LOCATION

WEEDS PRESENT

WEEDS NOT PRESENT

UPLAND VEGETATION SAMPLING LOCATION

WEEDS PRESENT

WEEDS NOT PRESENT

GENERALIZED VEGETATION CATEGORIES

CONIFER FOREST

MIXED CONIFER/DECIDUOUS FOREST

DECIDUOUS FOREST

UPLAND SHRUB

GRASSLAND

AGRICULTURE

RIPARIAN

PALUSTRINE WETLAND

OPEN WATER

EXPOSED ROCK/ROCK TALUS

DEVELOPED/DISTURBED

PRIMARY STUDY AREA

SECONDARY STUDY AREA

PROJECT SECTION BOUNDARY

HIGHWAY

ROAD

TRAIL

STREAM

LABEL	SCIENTIFIC NAME	COMMON NAME
ACRE	<i>Acroptilon repens</i>	Russian knapweed
CADR	<i>Cardaria draba</i>	Hoary cress
CEDI	<i>Centaurea diffusa</i>	Diffuse knapweed
CESO	<i>Centaurea solstitialis</i>	Yellow starthistle
CIAR	<i>Cirsium arvense</i>	Canada thistle
CYSC	<i>Cytisus scoparius</i>	Scotch broom
HYPE	<i>Hypericum perforatum</i>	Klamath weed
ISTI	<i>Isatis tinctoria</i>	Dyer's woad
LELA	<i>Lepidium latifolium</i>	Tall whitetop
LIDA	<i>Linaria dalmatica</i>	Dalmation toadflax
ONAC	<i>Onopordum acanthium</i>	Scotch thistle
SAAE	<i>Savia Aethiops</i>	Mediterranean sage
TRTE	<i>Tribulus terrestris</i>	Puncture vine
XASP	<i>Xantium spinosum</i>	Spiney clotbur

Number at end of EDAW and BLM plot label is a unique population identifier.

03,7007,400


1 inch = 3700 feet

Tile 5 of 6

Klamath Hydroelectric Project

Figure 8.7-1 (5 of 6)
Noxious Weed Locations

PACIFICORP © February 2004 PacifiCorp RDD \\LOK\PROJECTS\RDDGIS\PACIFICORP\MXDS\CH_FIGURE8_7-1.MXD FIGURE8_7-1.PDF 01/19/2004



LEGEND

WEED POPULATION (EDAW-IDENTIFIED)

WEED POPULATION (BLM-IDENTIFIED)

RIPARIAN VEGETATION SAMPLING LOCATION

WEEDS PRESENT

WEEDS NOT PRESENT

UPLAND VEGETATION SAMPLING LOCATION

WEEDS PRESENT

WEEDS NOT PRESENT

GENERALIZED VEGETATION CATEGORIES

CONIFER FOREST

MIXED CONIFER/DECIDUOUS FOREST

DECIDUOUS FOREST

UPLAND SHRUB

GRASSLAND

AGRICULTURE

RIPARIAN

PALUSTRINE WETLAND

OPEN WATER

EXPOSED ROCK/ROCK TALUS

DEVELOPED/DISTURBED

PRIMARY STUDY AREA

SECONDARY STUDY AREA

PROJECT SECTION BOUNDARY



HIGHWAY

ROAD

TRAIL

STREAM

LABEL	SCIENTIFIC NAME	COMMON NAME
ACRE	<i>Acroptilon repens</i>	Russian knapweed
CADR	<i>Cardaria draba</i>	Hoary cress
CEDI	<i>Centaurea diffusa</i>	Diffuse knapweed
CESO	<i>Centaurea solstitialis</i>	Yellow starthistle
CIAR	<i>Cirsium arvense</i>	Canada thistle
CYSC	<i>Cytisus scoparius</i>	Scotch broom
HYPE	<i>Hypericum perforatum</i>	Klamath weed
ISTI	<i>Isatis tinctoria</i>	Dyer's woad
LELA	<i>Lepidium latifolium</i>	Tall whitetop
LIDA	<i>Linaria dalmatica</i>	Dalmation toadflax
ONAC	<i>Onopordum acanthium</i>	Scotch thistle
SAAE	<i>Savia Aethiops</i>	Mediterranean sage
TRTE	<i>Tribulus terrestris</i>	Puncture vine
XASP	<i>Xanthium spinosum</i>	Spiny clotbur



Klamath Hydroelectric Project

Figure 8.7-1 (6 of 6)
Noxious Weed Locations