

Table 5A-15. Number of Caspian terns detected during field surveys.

Habitat Type*	Iron Gate-Shasta	Iron Gate Reservoir	Fall Creek	Copco Bypass	Copco Reservoir	J.C. Boyle Peaking Reach	J.C. Boyle Bypass	J.C. Boyle Reservoir	Keno Canyon	Keno Reservoir	Link River	Total
<b>Plot Surveys</b>	(n=18)	(n=38)	(n=16)	(n=4)	(n=37)	(n=72)	(n=22)	(n=20)	(n=18)	(n=23)	(n=18)	(n=286)
Unidentified Habitat		11										11
Flyover					7							7
Lacustrine Unconsolidated Bottom		9			10			2		9	2	32
Montane Hardwood Oak-Juniper		2										2
Ponderosa Pine								2				2
Riparian/Wetland Scrub-shrub								2				2
Riverine Unconsolidated Bottom							1		1			2
Sagebrush								1				1
<b>Facility Surveys</b>	(n=1)	(n=3)	(n=4)	(n=3)		(n=1)	(n=2)		(n=1)		(n=3)	(n=18)
All Habitats	2								2		2	6
<b>Reservoir Surveys</b>		(n=4)			(n=4)			(n=2)		(n=4)	(n=1)	(n=15)
All Habitats		22			43			16				81
<b>Total</b>	<b>2</b>	<b>44</b>			<b>60</b>		<b>1</b>	<b>23</b>	<b>3</b>	<b>9</b>	<b>4</b>	<b>146</b>

\*Detections were not recorded in habitat types not included in table.