

**Table 7A-14. RFS relative abundance (detections per survey) in riparian and wetland plots by Project section.**

Project Segment	N	Blackheaded		Lewis'		Song Sparrow		Swainson's		Warbling Vireo		Willow		Yellow-		Yellow Warbler		Total	
		Grosbeak		Woodpecker		Thrush		Flycatcher		Breasted Chat		Yellow Warbler		Total					
		Mean	S.D.	Mean	S.D.	Mean	S.D.	Mean	S.D.	Mean	S.D.	Mean	S.D.	Mean	S.D.	Mean	S.D.	Mean	S.D.
Lower River	18	1.61	1.54	0.33	0.69	0.44	0.70	0.00	0.00	0.00	0.00	0.11	0.32	0.67	1.19	1.67	1.19	<b>4.83</b>	<b>2.79</b>
Iron Gate Reservoir	27	0.52	0.98	0.04	0.19	0.22	0.70	0.15	0.46	0.00	0.00	0.19	0.56	0.00	0.00	0.48	0.75	<b>1.59</b>	<b>2.02</b>
Copco Bypass	2	1.50	2.12	0.00	0.00	1.00	1.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.50	0.71	<b>4.00</b>	<b>0.00</b>
Copco Reservoir	23	0.26	0.54	0.00	0.00	0.04	0.21	0.00	0.00	0.00	0.00	0.04	0.21	0.09	0.42	0.43	0.66	<b>0.87</b>	<b>1.25</b>
Fall Creek	12	0.25	0.45	0.00	0.00	0.67	0.98	0.00	0.00	0.25	0.62	0.00	0.00	0.08	0.29	0.33	0.49	<b>1.58</b>	<b>1.31</b>
J.C. Boyle Peaking Reach	30	1.10	1.32	0.00	0.00	1.80	1.16	0.00	0.00	0.17	0.46	0.07	0.25	0.17	0.46	0.90	0.92	<b>4.20</b>	<b>2.17</b>
J.C. Boyle Bypass	11	0.55	0.82	0.00	0.00	2.27	1.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.64	1.36	<b>4.45</b>	<b>1.97</b>
J.C. Boyle Reservoir	4	0.00	0.00	0.00	0.00	2.75	2.06	0.00	0.00	0.00	0.00	0.25	0.50	0.00	0.00	1.25	1.50	<b>4.25</b>	<b>3.95</b>
Keno Canyon	14	0.71	0.83	0.00	0.00	3.29	1.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.36	2.06	<b>7.36</b>	<b>3.95</b>
Keno Reservoir	18	0.06	0.24	0.00	0.00	2.28	2.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.59	<b>2.67</b>	<b>1.94</b>
Link River	14	0.93	1.00	0.00	0.00	0.71	0.91	0.00	0.00	0.00	0.00	0.07	0.27	0.00	0.00	2.43	1.60	<b>4.14</b>	<b>2.03</b>
<b>Total</b>	<b>173</b>	<b>0.68</b>	<b>1.07</b>	<b>0.04</b>	<b>0.25</b>	<b>1.23</b>	<b>1.57</b>	<b>0.02</b>	<b>0.19</b>	<b>0.05</b>	<b>0.26</b>	<b>0.07</b>	<b>0.30</b>	<b>0.12</b>	<b>0.49</b>	<b>1.14</b>	<b>1.41</b>	<b>3.34</b>	<b>2.87</b>