

## TECHNICAL MEMORANDUM

Results of Cyanobacteria and Microcystin Monitoring in the Vicinity of the Klamath Hydroelectric Project:

**Prepared for:** Tim Hemstreet (PacifiCorp)  
Linda Prendergast (PacifiCorp)

**Prepared by:** Sam Mackey

**Date:** 6/30/14



### Introduction

This technical memorandum summarizes the results for the public health monitoring conducted during 2014 for cyanobacteria species and the associated toxin, microcystin, in Copco and Iron Gate reservoirs within PacifiCorp's Klamath Hydroelectric Project (Project) and at one monitoring station in the Klamath River below Iron Gate Dam. This monitoring is particularly focused on *Microcystis aeruginosa* (MSAE), which is known to produce microcystin. This monitoring also estimates the presence of other potentially-toxic cyanobacteria, including *Anabaena* spp., *Planktothrix* (*Oscillatoria*) spp. and others. This monitoring is being conducted pursuant to Interim Measure 15, Water Quality Monitoring Activities, contained in the Klamath Hydroelectric Settlement Agreement (KHSA) executed between the United States Department of Interior, the states of California and Oregon, PacifiCorp, and other parties.

Results from the public health sampling are used to determine if public health advisories are warranted<sup>1</sup>. In addition to PacifiCorp's website ([www.pacificorp.com/es/hydro/hl/kr.html#](http://www.pacificorp.com/es/hydro/hl/kr.html#)), these memos are also posted on the Klamath Basin Monitoring Program's (KBMP) website ([www.kbmp.net](http://www.kbmp.net)) and inform the Blue Green Algae tracker on the KBMP website

The data in this memorandum include results from the June 23 and 24 sampling event in addition to all 2014 public health sampling events (see Appendix 1).

### Methods

PacifiCorp is conducting public health sampling at 5 sites (Table 1) for laboratory analysis of potentially toxic cyanobacteria, notably MSAE, and microcystin at:

- Four shoreline sites in coves in Copco and Iron Gate reservoirs (i.e., two cove sites in each reservoir).
- One Klamath River site below Iron Gate Dam near the hatchery bridge.

Samples are planned to be taken at shoreline locations in the reservoirs once in May; and twice per month in June, July, August, September, October, and November. Samples to be collected from the river site below Iron Gate Dam are scheduled to be collected according to the discretion of the sampling entity (PacifiCorp) based on river conditions.

---

<sup>1</sup> The California State Water Resources Control Board provides guidelines for posting advisories in recreation water (SWRCB 2010). SWRCB recommends posting advisories in recreation waters under three circumstances: (1) if "scum is present associated with toxic species"; (2) if scum is not present, but the density of *Microcystis* or *Planktothrix* is 40,000 cells/ml or greater; and (3) if scum is not present, but the density of all potentially toxic BGA is 100,000 cells/ml or greater

Public health samples are taken as grab samples offshore according to the standard operating procedure (SOP) developed by the Klamath Blue Green Algae Working Group ([www.kbmp.net/collaboration/klamath-hydroelectric-settlement-agreement-monitoring](http://www.kbmp.net/collaboration/klamath-hydroelectric-settlement-agreement-monitoring)). Samples for potentially toxic phytoplankton are preserved in Lugol's solution and sent to Aquatic Analysts in Friday Harbor, Washington for analysis. Results for cyanobacteria species are reported as individual cells per milliliter.

Samples for determination of microcystin toxin are placed in a cooler on ice and shipped to the EPA Region 9 Laboratory in Richmond, California. The samples are analyzed using the competitive Enzyme-Linked ImmunoSorbent Assay (ELISA) method based on the EnviroLogix QuantiPlate Kit for microcystins. The quantitation limit is 0.18 µg/L or parts per billion (ppb). This test method does not distinguish between the specific microcystin congeners, but detects their presence to differing degrees. That is, ELISA test results yield one value as the sum of measurable microcystin variants.

Location	Approximate River Mile	Site ID
Copco Reservoir at Mallard Cove	201.5	CRMC
Copco Reservoir at Copco Cove	200.0	CRCC
Iron Gate Reservoir at Camp Creek	192.8	IRCC
Iron Gate Reservoir at John Williams campground	192.4	IRJW
Klamath River below Iron Gate dam near hatchery bridge	189.7	KRBI

## Results

Date	Time	Location	RM	Sample ID	Depth	MSAE <sup>(1)</sup>	AFA <sup>(2)</sup>	ANA <sup>(3)</sup>	Other <sup>(6), (7), (8), (9), or (10)</sup>	Microcystin (µg/L)
6/23/2014	14:10	KRBI	189.7	KR14816	SG	23	70	258	120 <sup>(7)</sup>	*
6/24/2014	7:50	CRMC	201.5	KR14817	SG	0	0	0	0	*
6/24/2014	12:00	CRCC	200.0	KR14818	SG	66,452	0	396,368	0	*
6/24/2014	11:40	IRCC	192.8	KR14819	SG	6,085	0	6,116	123 <sup>(10)</sup>	*
6/24/2014	11:25	IRJW	192.4	KR14820	SG	0	0	1,273	0	*

<sup>1</sup>MSAE = *Microcystis aeruginosa* (cells/mL)

<sup>2</sup>AFA = *Aphanizomenon flos-aquae* (cells/mL)

<sup>3</sup>ANA = *Anabaena flos-aquae* (cells/mL)

Other = either <sup>5</sup>*Planktothrix (Oscillatoria) sp.* or <sup>6</sup>*Gloeotrichia echinulata* or <sup>7</sup>*Anabaena sp.* or <sup>8</sup>*Lyngbya sp.* (cells/mL) or

<sup>9</sup>*Anabaena circinalis* (cells/mL) or <sup>10</sup>*Anabaena planctonica* (cells/mL)

“0” value indicates non-detect by analytical laboratory

“\*” value indicates results were not available upon the date this memo was submitted and will be included in subsequent memos as availability allows

On June 20, 2014, Copco reservoir was posted with health advisories based on the public health sampling (see Appendix 1). Iron Gate reservoir and the Klamath River below Iron Gate sampling sites continue to be below the California posting guidelines (SWRCB 2010) (Table 2, Appendix 2). The available toxin analyses for all the public health sampling sites are also below the guidelines.

## References

SWRCB. 2010. Cyanobacteria in California Recreational Water Bodies: Providing Voluntary Guidance about Harmful Algal Blooms, Their Monitoring, and Public Notification. July 2010. Document provided as part of Blue-green Algae Work Group of State Water Resources Control Board (SWRCB) and Office of Environmental Health and Hazard Assessment (OEHHA).

## Appendix 1

### Cumulative Cyanobacteria Species data for 2014 Public Health Samples

**Table 3.** Summary of public health monitoring: 2014

Date	Time	Location	RM	Sample ID	Depth	MSAE <sup>(1)</sup>	AFA <sup>(2)</sup>	ANA <sup>(3)</sup>	Other <sup>(6), (7), (8), (9), or (10)</sup>	Microcystin (µg/L)
5/20/2014	9:40	CRMC	201.5	KR14800	SG	0	0	0	0	ND
5/20/2014	11:15	CRCC	200.0	KR14801	SG	0	0	0	87 <sup>(5)</sup>	ND
5/20/2014	10:45	IRCC	192.8	KR14802	SG	0	0	0	0	ND
5/20/2014	10:30	IRJW	192.4	KR14803	SG	0	0	0	0	ND
6/10/2014	11:35	CRMC	201.5	KR14806	SG	0	0	253	0	0.23
6/09/2014	12:00	CRCC	200.0	KR14807	SG	0	0	256,920	0	ND
6/09/2014	11:20	IRCC	192.8	KR14808	SG	0	0	1,756	165 <sup>(5)</sup>	ND
6/09/2014	10:50	IRJW	192.4	KR14809	SG	0	0	433	0	ND
6/09/2014	15:45	KRBI	189.7	KR14810	SG	0	0	0	0	ND
6/18/2014	11:25	CRMC	200.0	KR14812	SG	7,996	24	516	0	*
6/18/2014	15:15	CRCC	192.8	KR14813	SG	6,213	0	73,449	0	*
6/18/2014	14:50	IRCC	192.4	KR14814	SG	132	0	1,202	185 <sup>(10)</sup>	*
6/18/2014	14:35	IRJW	189.7	KR14815	SG	0	0	5,117	0	*
6/23/2014	14:10	KRBI	189.7	KR14816	SG	23	70	258	120(7)	*
6/24/2014	7:50	CRMC	201.5	KR14817	SG	0	0	0	0	*
6/24/2014	12:00	CRCC	200.0	KR14818	SG	66,452	0	396,368	0	*
6/24/2014	11:40	IRCC	192.8	KR14819	SG	6,085	0	6,116	123(10)	*
6/24/2014	11:25	IRJW	192.4	KR14820	SG	0	0	1,273	0	*

<sup>1</sup>MSAE = *Microcystis aeruginosa* (cells/mL)

<sup>2</sup>AFA = *Aphanizomenon flos-aquae* (cells/mL)

<sup>3</sup>ANA = *Anabaena flos-aquae* (cells/mL)

Other = either <sup>5</sup>*Planktothrix (Oscillatoria) sp.* or <sup>6</sup>*Gloeotrichia echinulata* or <sup>7</sup>*Anabaena sp.* or

<sup>8</sup>*Lyngbya sp.* (cells/mL) or <sup>9</sup>*Anabaena circinalis* (cells/mL) or <sup>10</sup>*Anabaena planctonica*

“0” value indicates non-detect by analytical laboratory

“\*” value indicates results were not available upon the date this memo was submitted and will be included in subsequent memos as availability allows

## Appendix 2

### Laboratory Data Sheets: June 23<sup>rd</sup> and 24<sup>th</sup>, 2014

Phytoplankton Sample Analysis					
Sample:		Klamath Basin			
Sample Site:		KR 14816			
Sample Depth:					
Sample Date:		23-Jun-14			
Total Density (#/mL):		26			
Total Biovolume (um <sup>3</sup> /mL):		30,085			
Trophic State Index:		24.8			
Species	Density #/mL	Density Percent	Biovolume um <sup>3</sup> /mL	Biovolume Percent	Group
1 Anabaena flos-aquae	12	45.5	17,312	57.5	bluegreen
2 Anabaena sp.	7	27.3	8,146	27.1	bluegreen
3 Aphanizomenon flos-aquae	5	18.2	4,440	14.8	bluegreen
4 Microcystis aeruginosa	2	9.1	188	0.6	bluegreen
Anabaena flos-aquae cells/mL =		258			
Anabaena sp. cells/mL =		120			
Aphanizomenon flos-aquae cells/mL =		70			
Microcystis aeruginosa cells/mL =		23			
Note: Toxic Algae Only					
Aquatic Analysts			Sample ID: SC71		

Phytoplankton Sample Analysis					
Sample:		Klamath Basin			
Sample Site:		KR 14817			
Sample Depth:					
Sample Date:		24-Jun-14			
Total Density (#/mL):		<5			
Total Biovolume (um <sup>3</sup> /mL):					
Trophic State Index:					
Species	Density #/mL	Density Percent	Biovolume um <sup>3</sup> /mL	Biovolume Percent	Group
-----					
1 No Toxic Algae Present	<5				
Note: Toxic Algae Only					
Aquatic Analysts			Sample ID: SC72		

Phytoplankton Sample Analysis					
Sample:		Klamath Basin			
Sample Site:		KR 14818			
Sample Depth:					
Sample Date:		24-Jun-14			
Total Density (#/mL):		17,076			
Total Biovolume (um <sup>3</sup> /mL):		27,088,269			
Trophic State Index:		73.6			
Species	Density #/mL	Density Percent	Biovolume um <sup>3</sup> /mL	Biovolume Percent	Group
-----					
1 Anabaena flos-aquae	10,431	61.1	26,556,656	98.0	bluegreen
2 Microcystis aeruginosa	6,645	38.9	531,614	2.0	bluegreen
Microcystis aeruginosa cells/mL =		66,452			
Anabaena flos-aquae cells/mL =		396,368			
Note: Toxic Algae Only					
Aquatic Analysts			Sample ID: SC73		

Phytoplankton Sample Analysis					
Sample:		Klamath Basin			
Sample Site:		KR 14819			
Sample Depth:					
Sample Date:		24-Jun-14			
Total Density (#/mL):		736			
Total Biovolume (um <sup>3</sup> /mL):		480,883			
Trophic State Index:		44.6			
Species	Density #/mL	Density Percent	Biovolume um <sup>3</sup> /mL	Biovolume Percent	Group
1 Microcystis aeruginosa	608	82.6	48,679	10.1	bluegreen
2 Anabaena flos-aquae	118	16.0	409,745	85.2	bluegreen
3 Anabaena planctonica	10	1.4	22,458	4.7	bluegreen
Microcystis aeruginosa cells/mL =		6,085			
Anabaena flos-aquae cells/mL =		6,116			
Anabaena planctonica cells/mL =		123			
Note: Toxic Algae Only					
Aquatic Analysts			Sample ID: SC74		

Phytoplankton Sample Analysis					
Sample:		Klamath Basin			
Sample Site:		KR 14820			
Sample Depth:					
Sample Date:		24-Jun-14			
Total Density (#/mL):		39			
Total Biovolume (um <sup>3</sup> /mL):		85,284			
Trophic State Index:		32.2			
Species	Density #/mL	Density Percent	Biovolume um <sup>3</sup> /mL	Biovolume Percent	Group
1 Anabaena flos-aquae	39	100.0	85,284	100.0	bluegreen
Anabaena flos-aquae cells/mL =		1,273			
Note: Toxic Algae Only					
Aquatic Analysts			Sample ID: SC75		