

TECHNICAL MEMORANDUM

Results of Cyanobacteria and Microcystin Monitoring in the Vicinity of the Klamath Hydroelectric Project

Prepared for: Demian Ebert (PacifiCorp)
Prepared by: E&S Environmental Chemistry, Inc.
Date: July 7, 2021



Introduction

This technical memorandum summarizes the results for the 2021 public health monitoring for cyanobacteria species and an associated toxin, microcystin, from Upper Klamath Lake and within PacifiCorp's Klamath Hydroelectric Project (Project) from Keno Reservoir to the Klamath River downstream Iron Gate Dam. Microcystin results from 2021 baseline monitoring program are also included in the results summaries below. This monitoring is particularly focused on *Microcystis aeruginosa* (MSAE) which is known to produce microcystin. Monitoring is being conducted pursuant to Interim Measure 15, Water Quality Monitoring Activities, contained in the Klamath Hydroelectric Settlement Agreement (KHSA) executed between the United States Department of Interior, the states of California and Oregon, PacifiCorp, and other parties.

Results from the baseline and public health sampling are used in coordination with the appropriate public health authority to determine if public health advisories are warranted.^{1,2} In addition to PacifiCorp's website (<https://www.pacifiCorp.com/energy/hydro/klamath-river.html>), these memos are also posted on the Klamath Basin Monitoring Program's (KBMP) website (www.kbmp.net) and inform the Blue Green Algae tracker on the KBMP website.

The data in Appendix 1 and Appendix 2 summarize results from all of the 2021 public health sampling events to date and microcystin results from the 2021 baseline sampling events, respectively.

¹ The California State Water Resources Control Board (SWRCB) provides guidelines for posting advisories in recreation water (California SWRCB 2016) for Project waters in California. SWRCB recommends posting advisories in recreation waters at three levels based on laboratory testing for microcystin. The posting levels are Caution, Warning, and Danger at microcystin concentrations of 0.8, 6, and 20 µg/L respectively. Toxin producing cells at concentrations of over 4,000 cells/mL or blooms, scums, or mats would result in posting at the Caution level.

² Postings of Project waters in Oregon are coordinated with the Oregon Health Authority (OHA). The health advisory guideline for recreational use in Oregon waters is microcystin concentrations of 8 µg/L (OHA 2019).

Methods

PacifiCorp and the Oregon Department of Environmental Quality (ODEQ) are conducting public health sampling at ten sites (Table 1). Samples are collected and sent for laboratory analysis of potentially toxigenic cyanobacteria, notably MSAE and microcystin, from:

- Three shoreline sites in Upper Klamath Lake, Oregon
- One shoreline site in Keno Reservoir, Oregon
- One shoreline site in J.C. Boyle Reservoir, Oregon
- Four shoreline sites in coves in Copco and Iron Gate reservoirs (i.e., two cove sites in each reservoir), California
- One Klamath River site below Iron Gate Dam near the hatchery bridge, California

Table 1. Sites of cyanobacteria and microcystin public health monitoring in Upper Klamath Lake, Keno Reservoir, J.C Boyle Reservoir, Copco Reservoir, Iron Gate Reservoir, and the Klamath River during 2021.			
Location	Approximate River Mile	Sampling Entity	Site ID
Upper Klamath Lake at Eagle Ridge County Park	N/A	ODEQ	UKEP
Upper Klamath Lake at Howard's Bay Park	N/A	ODEQ	UKHP
Upper Klamath Lake at Moore Park	N/A	ODEQ	UKMP
Keno Reservoir at Keno Park	234.0	ODEQ	KEKP
J.C. Boyle Reservoir at Topsy Campground	225.0	ODEQ	BRTC
Copco Reservoir at Mallard Cove	201.5	PacifiCorp	CRMC
Copco Reservoir at Copco Cove	200.0	PacifiCorp	CRCC
Iron Gate Reservoir at Camp Creek	192.8	PacifiCorp	IRCC
Iron Gate Reservoir at John Williams Campground	192.4	PacifiCorp	IRJW
Klamath River below Iron Gate dam near Hatchery Bridge	189.7	PacifiCorp	KRBI

Samples are planned to be taken once in May, November, and December and twice per month in June, July, August, September, and October.

In addition to public health sampling, monthly and bi-monthly baseline sampling for microcystin is conducted by PacifiCorp from May through October at 12 locations extending from Link River Dam to the Klamath River downstream of Iron Gate Reservoir (Table 2).

Table 2. Sites of microcystin baseline monitoring from Link River Dam to the Klamath River downstream of Iron Gate reservoir during 2021.				
Site Description	Approximate River Mile	Depth (m)	Sampling Entity	Site ID
Link River Dam	254.4	0.5	PacifiCorp	KR25411
Keno Reservoir at Miller Island	246.0	0.5	PacifiCorp	KR24600
Klamath River below Keno Dam near a USGS Gage	231.8	0.5	PacifiCorp	KR23340
Klamath River below JC Boyle Reservoir	224.6	0.5	PacifiCorp	KR22460
Klamath River at USGS Gage	219.5	0.5	PacifiCorp	KR21950
Klamath River above Shovel Creek	206.4	0.5	PacifiCorp	KR20642
Copco Reservoir at Buoy Line (surface)	198.7	0.5	PacifiCorp	KR19874
Copco Reservoir at Buoy Line (integrated)	198.7	0-8	PacifiCorp	KR19874
Klamath River below Copco 2 Reservoir	196.5	0.5	PacifiCorp	KR19645
Iron Gate Reservoir at Log Boom (surface)	190.2	0.5	PacifiCorp	KR19019
Iron Gate Reservoir at Log Boom (integrated)	190.2	0-8	PacifiCorp	KR19019
Klamath River below Hatchery Bridge	189.7	0.5	PacifiCorp	KR18973

Public health samples are taken as grab samples offshore according to the standard operating procedure (SOP) developed by the Klamath Blue Green Algae Working Group (www.kbmp.net/collaboration/klamath-hydroelectric-settlement-agreement-monitoring).

Samples for determination of microcystin toxin are placed in a cooler on ice and shipped to the U.S. Environmental Protection Agency (EPA) Region 9 Laboratory in Richmond, California. The samples are analyzed using the competitive Enzyme-Linked ImmunoSorbent Assay (ELISA) method based on the EnviroLogix QuantiPlate Kit with a detection limit of 0.10 µg/L and a quantification limit of 0.15 µg/L. This test method does not distinguish between the specific microcystin congeners, but detects their presence to differing degrees. That is, ELISA test results yield one value as the sum of measurable microcystin variants.

Results

All public health samples (Table 3) and baseline microcystin samples (Tables 4 and 5) were collected as planned.

Table 3. Summary of available public health laboratory microcystin results from sampling May and June 2021.							
Date	Time	Site ID	RM	Sampling Entity	Sample ID	Depth (m)	Microcystin (µg/L)
5/17/2021	11:27	UKEP	N/A	ODEQ	UKEP2101	SG	ND
5/17/2021	11:52	UKHP	N/A	ODEQ	UKHP2101	SG	ND
5/17/2021	12:09	UKMP	N/A	ODEQ	UKMP2101	SG	ND
5/17/2021	10:25	KEKP	234	ODEQ	KEKP2101	SG	ND
5/17/2021	09:45	BRTC	225	ODEQ	BRTC2101	SG	ND
5/25/2021	10:55	CRMC	201.5	PacifiCorp	KR21800	SG	ND

Technical Memorandum
Klamath Hydroelectric Project
Cyanobacteria and Microcystin Monitoring
July 7, 2021

5/25/2021	10:05	CRCC	200.0	PacifiCorp	KR21801	SG	ND
5/25/2021	09:25	IRCC	192.8	PacifiCorp	KR21802	SG	ND
5/25/2021	08:45	IRJW	192.4	PacifiCorp	KR21803	SG	ND
5/25/2021	11:35	KRBI	189.7	PacifiCorp	KR21804	SG	ND
6/1/2021	11:00	UKEP	N/A	ODEQ	UKEP2102	SG	2.6
6/1/2021	11:37	UKHP	N/A	ODEQ	UKHP2102	SG	0.44
6/1/2021	11:53	UKMP	N/A	ODEQ	UKMP2102	SG	ND
6/1/2021	10:11	KEKP	234	ODEQ	KEKP2102	SG	ND
6/1/2021	09:51	BRTC	225	ODEQ	BRTC2102	SG	ND
6/8/2021	18:25	CRMC	201.5	PacifiCorp	KR21805	SG	ND
6/8/2021	14:15	CRCC	200.0	PacifiCorp	KR21806	SG	ND
6/8/2021	15:30	IRCC	192.8	PacifiCorp	KR21807	SG	ND
6/8/2021	15:45	IRJW	192.4	PacifiCorp	KR21808	SG	ND
6/8/2021	16:10	KRBI	189.7	PacifiCorp	KR21809	SG	ND
6/14/2021	11:35	UKEP	N/A	ODEQ	UKEP2103	SG	0.44
6/14/2021	12:10	UKHP	N/A	ODEQ	UKHP2103	SG	0.10 ^{C1, J}
6/14/2021	12:28	UKMP	N/A	ODEQ	UKMP2103	SG	ND
6/14/2021	10:46	KEKP	234	ODEQ	KEKP2103	SG	0.13 ^{C1, J}
6/14/2021	10:27	BRTC	225	ODEQ	BRTC2103	SG	ND
6/29/2021	09:40	CRMC	201.5	PacifiCorp	KR21810	SG	5.9
6/29/2021	08:05	CRCC	200.0	PacifiCorp	KR21811	SG	0.86
6/29/2021	07:30	IRCC	192.8	PacifiCorp	KR21812	SG	0.18
6/29/2021	07:15	IRJW	192.4	PacifiCorp	KR21813	SG	0.54
6/29/2021	10:25	KRBI	189.7	PacifiCorp	KR21814	SG	0.10 ^{C1, J}

"ND" value indicates a result less than the laboratory analytical detection limit (0.1 µg/L)

"C1" indicates the reported concentration for this analyte is below the quantitation limit.

"J" indicates the reported result for this analyte should be considered an estimated value.

Table 4. Summary of May and June 2021 baseline laboratory microcystin results for samples collected in Oregon.

Date	Time	Site ID	RM	Sampling Entity	Sample ID	Depth (m)	Microcystin (µg/L)
5/12/2021	07:45	KR22460	224.6	PacifiCorp	KR21037	0.5	ND
5/12/2021	08:25	KR21950	219.5	PacifiCorp	KR21038	0.5	ND
5/12/2021	09:30	KR23340	233.4	PacifiCorp	KR21039	0.5	ND
5/12/2021	10:25	KR24600	246	PacifiCorp	KR21040	0.5	ND
6/9/2021	11:00	KR22460	224.6	PacifiCorp	KR21063	0.5	ND
6/9/2021	11:55	KR21950	219.5	PacifiCorp	KR21064	0.5	ND
6/9/2021	12:50	KR23340	233.4	PacifiCorp	KR21065	0.5	ND
6/9/2021	13:35	KR24600	246	PacifiCorp	KR21066	0.5	ND

"ND" value indicates a result less than the laboratory analytical detection limit (0.1 µg/L)

Table 5. Summary of May and June 2021 baseline laboratory microcystin results for samples collected in California.

Date	Time	Site ID	RM	Sampling Entity	Sample ID	Depth (m)	Microcystin (µg/L)
5/11/2021	10:15	KR19019	190.1	PacifiCorp	KR21023	0.5	ND
5/11/2021	10:30	KR19019	190.1	PacifiCorp	KR21024	0-8	ND
5/11/2021	12:25	KR19645	196.4	PacifiCorp	KR21027	0.5	ND
5/11/2021	13:15	KR19874	198.7	PacifiCorp	KR21028	0.5	ND
5/11/2021	13:35	KR19874	198.7	PacifiCorp	KR21029	0-8	ND
5/11/2021	17:20	KR20642	206.4	PacifiCorp	KR21032	0.5	ND
6/8/2021	10:30	KR19019	190.1	PacifiCorp	KR21049	0.5	ND

Technical Memorandum
Klamath Hydroelectric Project
Cyanobacteria and Microcystin Monitoring
July 7, 2021

6/8/2021	10:55	KR19019	190.1	PacifiCorp	KR21050	0-8	ND
6/8/2021	14:55	KR19645	196.4	PacifiCorp	KR21053	0.5	ND
6/8/2021	12:55	KR19874	198.7	PacifiCorp	KR21054	0.5	ND
6/8/2021	13:20	KR19874	198.7	PacifiCorp	KR21055	0-8	ND
6/8/2021	17:55	KR20642	206.4	PacifiCorp	KR21058	0.5	ND

"ND" value indicates a result less than the laboratory analytical detection limit (0.1 µg/L)

References

California SWRCB 2016. Draft Statewide Voluntary Guidance on CyanoHABs in Recreational Waters. Available online at:

http://www.mywaterquality.ca.gov/monitoring_council/cyanohab_network/docs/triggers.pdf

Oregon Health Authority. 2019. Oregon Harmful Algal Bloom Surveillance (HABS) Program – Recreational Use Public Health Advisory Guidelines, Cyanobacterial Blooms in Freshwater Bodies. 27 pp. Available online at:

<https://www.oregon.gov/oha/PH/HEALTHYENVIRONMENTS/RECREATION/HARMFULALGAEBL/OOMS/Documents/Advisory-Guidelines-Harmful-Cyanobacterial-Blooms-Recreational-Waters.pdf>

Appendix 1

Cyanobacteria Species and Microcystin Data for 2021 Public Health Samples

Table A1. Summary of available public health laboratory microcystin results from sampling May and June 2021.							
Date	Time	Site ID	RM	Sampling Entity	Sample ID	Depth (m)	Microcystin (µg/L)
5/17/2021	11:27	UKEP	N/A	ODEQ	UKEP2101	SG	ND
5/17/2021	11:52	UKHP	N/A	ODEQ	UKHP2101	SG	ND
5/17/2021	12:09	UKMP	N/A	ODEQ	UKMP2101	SG	ND
5/17/2021	10:25	KEKP	234	ODEQ	KEKP2101	SG	ND
5/17/2021	09:45	BRTC	225	ODEQ	BRTC2101	SG	ND
5/25/2021	10:55	CRMC	201.5	PacifiCorp	KR21800	SG	ND
5/25/2021	10:05	CRCC	200.0	PacifiCorp	KR21801	SG	ND
5/25/2021	09:25	IRCC	192.8	PacifiCorp	KR21802	SG	ND
5/25/2021	08:45	IRJW	192.4	PacifiCorp	KR21803	SG	ND
5/25/2021	11:35	KRBI	189.7	PacifiCorp	KR21804	SG	ND
6/1/2021	11:00	UKEP	N/A	ODEQ	UKEP2102	SG	2.6
6/1/2021	11:37	UKHP	N/A	ODEQ	UKHP2102	SG	0.44
6/1/2021	11:53	UKMP	N/A	ODEQ	UKMP2102	SG	ND
6/1/2021	10:11	KEKP	234	ODEQ	KEKP2102	SG	ND
6/1/2021	09:51	BRTC	225	ODEQ	BRTC2102	SG	ND
6/8/2021	18:25	CRMC	201.5	PacifiCorp	KR21805	SG	ND
6/8/2021	14:15	CRCC	200.0	PacifiCorp	KR21806	SG	ND
6/8/2021	15:30	IRCC	192.8	PacifiCorp	KR21807	SG	ND
6/8/2021	15:45	IRJW	192.4	PacifiCorp	KR21808	SG	ND
6/8/2021	16:10	KRBI	189.7	PacifiCorp	KR21809	SG	ND
6/14/2021	11:35	UKEP	N/A	ODEQ	UKEP2103	SG	0.44
6/14/2021	12:10	UKHP	N/A	ODEQ	UKHP2103	SG	0.10 ^{C1, J}
6/14/2021	12:28	UKMP	N/A	ODEQ	UKMP2103	SG	ND
6/14/2021	10:46	KEKP	234	ODEQ	KEKP2103	SG	0.13 ^{C1, J}
6/14/2021	10:27	BRTC	225	ODEQ	BRTC2103	SG	ND
6/29/2021	09:40	CRMC	201.5	PacifiCorp	KR21810	SG	5.9
6/29/2021	08:05	CRCC	200.0	PacifiCorp	KR21811	SG	0.86
6/29/2021	07:30	IRCC	192.8	PacifiCorp	KR21812	SG	0.18
6/29/2021	07:15	IRJW	192.4	PacifiCorp	KR21813	SG	0.54
6/29/2021	10:25	KRBI	189.7	PacifiCorp	KR21814	SG	0.10 ^{C1, J}

"ND" value indicates a result less than the laboratory analytical detection limit (0.1 µg/L)

"C1" indicates the reported concentration for this analyte is below the quantitation limit.

"J" indicates the reported result for this analyte should be considered an estimated value.

Appendix 2

Microcystin Data for 2021 Baseline Samples

Table A2-1. Summary of May and June 2021 baseline laboratory microcystin results for samples collected in Oregon.							
Date	Time	Site ID	RM	Sampling Entity	Sample ID	Depth (m)	Microcystin (µg/L)
5/12/2021	07:45	KR22460	224.6	PacifiCorp	KR21037	0.5	ND
5/12/2021	08:25	KR21950	219.5	PacifiCorp	KR21038	0.5	ND
5/12/2021	09:30	KR23340	233.4	PacifiCorp	KR21039	0.5	ND
5/12/2021	10:25	KR24600	246	PacifiCorp	KR21040	0.5	ND
6/9/2021	11:00	KR22460	224.6	PacifiCorp	KR21063	0.5	ND
6/9/2021	11:55	KR21950	219.5	PacifiCorp	KR21064	0.5	ND
6/9/2021	12:50	KR23340	233.4	PacifiCorp	KR21065	0.5	ND
6/9/2021	13:35	KR24600	246	PacifiCorp	KR21066	0.5	ND

"ND" value indicates a result less than the laboratory analytical detection limit (0.1 µg/L)

Table A2-2. Summary of May and June 2021 baseline laboratory microcystin results for samples collected in California.							
Date	Time	Site ID	RM	Sampling Entity	Sample ID	Depth (m)	Microcystin (µg/L)
5/11/2021	10:15	KR19019	190.1	PacifiCorp	KR21023	0.5	ND
5/11/2021	10:30	KR19019	190.1	PacifiCorp	KR21024	0-8	ND
5/11/2021	12:25	KR19645	196.4	PacifiCorp	KR21027	0.5	ND
5/11/2021	13:15	KR19874	198.7	PacifiCorp	KR21028	0.5	ND
5/11/2021	13:35	KR19874	198.7	PacifiCorp	KR21029	0-8	ND
5/11/2021	17:20	KR20642	206.4	PacifiCorp	KR21032	0.5	ND
6/8/2021	10:30	KR19019	190.1	PacifiCorp	KR21049	0.5	ND
6/8/2021	10:55	KR19019	190.1	PacifiCorp	KR21050	0-8	ND
6/8/2021	14:55	KR19645	196.4	PacifiCorp	KR21053	0.5	ND
6/8/2021	12:55	KR19874	198.7	PacifiCorp	KR21054	0.5	ND
6/8/2021	13:20	KR19874	198.7	PacifiCorp	KR21055	0-8	ND
6/8/2021	17:55	KR20642	206.4	PacifiCorp	KR21058	0.5	ND

"ND" value indicates a result less than the laboratory analytical detection limit (0.1 µg/L)