



State of California – A Natural Resources Agency
OFFICE OF ENERGY INFRASTRUCTURE SAFETY
715 P Street, 15th Floor | Sacramento, CA 95814
916.902.6000 | www.energysafety.ca.gov

Gavin Newsom, Governor
Caroline Thomas Jacobs, Director

TRANSMITTED VIA ELECTRONIC MAIL

DATA REQUEST

Request Date: Friday, December 19, 2025

Response Due: Friday, December 26, 2025

To: Pooja Kishore, Regulatory Affairs Manager
Pooja.Kishore@pacificorp.com
PacifiCorp dba Pacific Power
825 NE Multnomah Street, Suite 2000
Portland, OR 97232

Cc: datareq@pacificorp.com
Melissa Swenson, PacifiCorp
Lakshmi Nair, PacifiCorp

Originator: Jolynne Flores, Wildfire Safety Analyst
Jolynne.Flores@energysafety.ca.gov

Data Request Number: OEIS-P-WMP_2025-PC-16

Subject(s):

- Q01. Regarding Best Practice Sharing with Other Utilities (CO-04)
- Q02. Regarding Definitions from PacifiCorp's Wood and Slash Management Program

INSTRUCTIONS

1. Provide all information in your possession, custody, or control, or the possession, custody, and/or control of your affiliates or agents, that is responsive to these data requests by the due date identified above.
2. Responses and documents may be produced and served electronically, but they must be fully machine-readable and searchable.
3. If you have any questions about the meaning or scope of the data requests herein, direct such questions to the Energy Safety staff identified as the “Originator” of this request at your earliest opportunity.
 - a. Lack of clarity on meaning or scope of requests without prior request for clarification to the “Originator” will not be a permissible reason for incomplete responses and will be regarded as non-compliance with the request.
4. Identify the personnel (e.g., employees, consultants, agents, etc.) who provided information responsive to each of the data requests below. As used in this context herein, “identify” means to provide the full name, email, business address, and title of each employee, consultant, or agent who provided such information.
5. If you do not know the exact answer to any of the requests below, please so indicate and provide your best estimate.
6. Provide data in its original format (e.g., Excel, GIS shapefile, etc.), unless otherwise specified in the request.
7. Submit your response to the 2026-2028 WMP Data Requests docket (#2026-2028-Base-WMP-DRs) by close of business on the response due date.
 - a. Submit confidential information through the confidential e-filing process. Do not submit confidential responses through email.
 - b. If you try to submit a file that is not permissible in the docket, please reach out to your Energy Safety “Originator”.
8. Email the non-confidential portion of the response to Jolynne Flores, Wildfire Safety Analyst Jolynne.Flores@energysafety.ca.gov, copying:
 - a. Dakota Smith (Dakota.Smith@energysafety.ca.gov)
 - b. Steve Kerr (Steve.Kerr@energysafety.ca.gov)
 - c. Johan Im (Johan.Im@energysafety.ca.gov)
 - d. Alec Latuszek (Alec.Latuszek@energysafety.ca.gov)

REQUEST

Q1. Regarding Best Practice Sharing with Other Utilities (CO-04):

- a. On page 399 of PacifiCorp’s 2026-2028 Base WMP R1, *Table 11-1: Emergency Preparedness and Community Outreach Targets by Year*, for mitigation activity CO-04, Western Wildfire Communications Workshop, PacifiCorp lists a qualitative target of “Complete two workshops” for 2026, 2027, and 2028. Describe what “complete two workshops” entails?
- b. On page 465, PacifiCorp discusses its participation in the “Western Wildfire Communications Workshop,” as part of its CO-04 mitigation activity. PacifiCorp states that the November 2024 meeting included discussions on:
 - i. “Lessons learned from the 2024 wildfire season.” Describe PacifiCorp’s communications lessons learned from the 2024 wildfire season.
 - ii. If PacifiCorp presented during the Workshop, provide PacifiCorp’s presentation.

Q2. Regarding Definitions from PacifiCorp’s Wood and Slash Management Program:

On page 310 of PacifiCorp’s 2026-2028 Base WMP, R1, PacifiCorp states that “In developed areas, debris is typically chipped and hauled offsite; in undeveloped areas, debris may be chipped and broadcast onsite; and in inaccessible areas, debris may be disposed of onsite through, typically, lop and scatter techniques.”

- a. Define “developed areas” as used in the above statement.
- b. Define “undeveloped areas” as used in the above statement.
- c. Define “inaccessible areas” as used in the above statement.

END OF REQUEST