



## Public Advocates Office Data Request

**No. CalAdvocates-PacifiCorp-2022WMP-12**  
**Proceeding: 2022 Wildfire Mitigation Plans**

Date of issuance: Tuesday, June 7, 2022  
Responses due: Friday, June 10, 2022

To: **Pooja Kishore**  
Regulatory Affairs for PacifiCorp      Email: [Pooja.Kishore@PacifiCorp.com](mailto:Pooja.Kishore@PacifiCorp.com)

**Tim Clark**  
Attorney for PacifiCorp      Email: [Tim.Clark@pacificorp.com](mailto:Tim.Clark@pacificorp.com)

**Megan Buckner**  
PacifiCorp      Email: [Megan.Buckner@pacificorp.com](mailto:Megan.Buckner@pacificorp.com)

**Bruce Dao**  
PacifiCorp      Email: [Bruce.Dao@pacificorp.com](mailto:Bruce.Dao@pacificorp.com)

**Data Request Center**  
PacifiCorp      Email: [datarequest@pacificorp.com](mailto:datarequest@pacificorp.com)  
Email: [ctdiscovery@pacificorp.com](mailto:ctdiscovery@pacificorp.com)

From: **Matthew Karle**  
Senior Analyst      Phone: (415) 703-1850  
Public Advocates Office      Email: [Matthew.Karle@cpuc.ca.gov](mailto:Matthew.Karle@cpuc.ca.gov)

**Charles Madison**  
Senior Utilities Engineer      Phone: (530) 771-7023  
Public Advocates Office      Email: [Charles.Madison@cpuc.ca.gov](mailto:Charles.Madison@cpuc.ca.gov)

**Carolyn Chen**  
Attorney      Phone: (415) 703-1980  
Public Advocates Office      Email: [Carolyn.Chen@cpuc.ca.gov](mailto:Carolyn.Chen@cpuc.ca.gov)

**Layla Labagh**  
Attorney      Phone: (415) 696-7372  
Public Advocates Office      Email: [Layla.Labagh@cpuc.ca.gov](mailto:Layla.Labagh@cpuc.ca.gov)

**Cal Advocates Wildfire Discovery**      Email: [CalAdvocates.WildfireDiscovery@cpuc.ca.gov](mailto:CalAdvocates.WildfireDiscovery@cpuc.ca.gov)

### **INSTRUCTIONS**

The Public Advocates Office  
California Public Utilities Commission  
505 Van Ness Avenue, San Francisco, CA 94102-3298  
[www.publicadvocates.cpuc.ca.gov](http://www.publicadvocates.cpuc.ca.gov)

You are instructed to answer the following Data Request in the aforementioned proceeding, with written, accurate responses pursuant to Public Utilities Code §§ 309.5(e) and 314, Rule 1.1 of the California Public Utilities Commission’s (CPUC) Rules of Practice and Procedure, and the Office of Energy Infrastructure Safety’s guidelines for Wildfire Mitigation Plan (WMP) discovery.<sup>1</sup>

Restate the text of each data request question prior to providing the response. Provide the name and title of the responding individual (i.e., the person responsible for the content of your answer) for each data request question. If the responding individual is not your employee, please provide their name, title, and employer, as well as the name and title of your employee who is directly responsible for the work of the responding individual.

Please send your responses and inquiries to the originators of this data request (that is, the Public Advocates Office employees and attorneys listed on the cover page), with copies to the following representatives of the Public Advocates Office:

1. [CalAdvocates.WildfireDiscovery@cpuc.ca.gov](mailto:CalAdvocates.WildfireDiscovery@cpuc.ca.gov)
2. [Henry.Burton@cpuc.ca.gov](mailto:Henry.Burton@cpuc.ca.gov)
3. [Natalie.Monroe@cpuc.ca.gov](mailto:Natalie.Monroe@cpuc.ca.gov)

**Requests for Clarification:** If a request, definition, or an instruction, is unclear, please notify the originators in writing as soon as feasible, including a specific description of what you find unclear and why. If possible, please provide a proposal for resolving the issue. In any event, unless directed otherwise by the originators, answer the request to the fullest extent possible, explain why you are unable to answer in full, and describe the limitations of your response.

**Incomplete responses:** If you are unable to answer a question completely, accurately, and with the specificity requested, notify the originators as soon as possible. If possible, please provide a proposal for resolving the issue. In your written response to the question, explain why you are unable to answer in full and describe the limitations of your response.

**Timing of responses:** Please respond to each question as soon as your complete response to that specific question is available, and no later than the due date listed on the cover sheet.

**Deadline extension requests:** If you are unable to provide a complete response to each question by the due date noted on the cover page, contact the originators in writing to request a deadline extension. Please submit your deadline extension request as soon as feasible. In your deadline extension request, please (1) specify the questions affected by the delay, (2) propose an alternative response date and (3) provide a written explanation as to why the deadline cannot be met.

---

<sup>1</sup> Office of Energy Infrastructure Safety, *Final 2022 Wildfire Mitigation Plan (WMP) Update Guidelines*, December 15, 2021. See Attachment 5: Guidelines for Submission and Review of 2022 Wildfire Mitigation Plan Updates, pp. 10-11.

**Objections:** If you object to any portion of this Data Request, please submit your objections, including the specific legal basis for each objection, to the originators as soon as possible. *At latest*, submit your objections and legal bases by the response deadline on the cover sheet.

**Response format:** Responses should be provided in the original electronic format if available, and otherwise, in hard copy. (If available in Word or Excel format, send the Word or Excel document not a PDF file.)

- All electronic documents submitted in response to this data request should be in readable, downloadable, printable, and searchable formats, unless use of such formats is infeasible.
- Each page should be numbered.
- If any of your answers rely on, refer to or reflect calculations that are not shown therein, provide a copy of the supporting electronic files that were used to derive such calculations, such as Excel spreadsheets or computer programs, with data and formulas intact and functioning.
- Voluminous documents produced in response to the data request should be Bates-numbered and indexed.
- Responses to the data request that refer to or incorporate documents should clearly identify the particular documents referenced, including the title and page number or, if available, Bates-numbers or Bates-range.

**Other questions:** For any questions, email the originators.

### **DEFINITIONS**

- A. As used herein, the terms “you,” “your(s),” “Company,” “PacifiCorp,” and “Pacific Power” mean PacifiCorp and any and all of its respective present and former employees, agents, consultants, attorneys, and officials, and any and all other persons acting on its behalf.
- B. The terms “and” and “or” shall be construed either disjunctively or conjunctively whenever appropriate in order to bring within the scope of this Data Request any information or documents which might otherwise be considered to be beyond their scope.
- C. Date ranges shall be construed to include the beginning and end dates named. For example, the phrases “from January 1 to January 31,” “January 1-31,” “January 1 to 31,” and “January 1 through January 31” should be understood to include both the 1st of January and the 31st of January. Likewise, phrases such as “since January 1” and “from January 1 to the present” should be understood to include January 1st, and phrases such as “until January 31,” “through January 31,” and “up to January 31” should also be understood to include the 31st.
- D. The singular form of a word shall be interpreted as plural, and the plural form of a word shall be interpreted as singular whenever appropriate in order to bring within the scope of

this Data Request any information or documents which might otherwise be considered to be beyond their scope.

- E. The term “communications” includes all verbal and written communications of every kind, including but not limited to telephone calls, conferences, notes, correspondence, and all memoranda concerning the requested communications. Where communications are not in writing, provide copies of all memoranda and documents made relating to the requested communication and describe in full the substance of the communication to the extent that the substance is not reflected in the memoranda and documents provided.
- F. The terms “document,” “documents,” or “documentary material” include, without limitation, the following items, whether in electronic form, printed, recorded, or written or reproduced by hand: reports, studies, statistics, projections, forecasts, decisions, orders, intra-office and interoffice communications, correspondence, memoranda, financial data, summaries or records of conversations or interviews, statements, returns, diaries, calendars, work papers, graphs, notebooks, notes, charts, computations, plans, drawings, sketches, computer printouts, summaries or records of meetings or conferences, summaries or reports of investigations or negotiations, opinions or reports of consultants, photographs, bulletins, records or representations or publications of any kind (including microfilm, videotape, and records however produced or reproduced), electronic or mechanical or electrical records of any kind (including, without limitation, tapes, tape cassettes, discs, emails, and records), other data compilations (including, without limitation, input/output files, source codes, object codes, program documentation, computer programs, computer printouts, cards, tapes, and discs and recordings used in automated data processing, together with the programming instructions and other material necessary to translate, understand, or use the same), and other documents or tangible things of whatever description which constitute or contain information within the scope of this Data Request.
- G. “Relate to,” “concern,” and similar terms and phrases shall mean to consist of, refer to, reflect, comprise, discuss, underlie, comment upon, form the basis for, analyze, mention, or be connected with, in any way, the subject of this Data Request.
- H. “Identify”:
  - i. When used in reference to a Company employee, “identify” includes stating their full name and title.
  - ii. When used in reference to a consultant or contractor for the Company, “identify” includes stating the person’s name, title, and employer, and the name and title of the Company employee who is directly responsible for the work of the consultant.
  - iii. When used in reference to a person who is not a current Company employee, consultant or contractor, “identify” includes stating the person’s name; most recent

title and supervisor at the Company; and most recent known employer, title/position, and business address.

- iv. When used in reference to documents, “identify” includes stating the nature of the document (e.g., letter, memorandum, study), the date (if any), the title of the document, the identity of the author, and the general subject matter of the document. For documents not publicly available, please also provide the location of the document, and identify the person having possession, control or custody of the document.
- I. When requested to “state the basis” for any statement (i.e., any analysis, workpaper, study, proposal, assertion, assumption, description, quantification, or conclusion), please describe every fact, statistic, inference, supposition, estimate, consideration, conclusion, study, report, and analysis available to you which you believe to support the statement, or which you contend to be evidence of the truth or accuracy thereof.
- J. “CPUC” and “Commission” mean the California Public Utilities Commission.
- K. “Cal Advocates” means the Public Advocates Office.
- L. “Energy Safety” and “OEIS” mean the California Office of Energy Infrastructure Safety.
- M. “WMP” means wildfire mitigation plan.
- N. “GIS” means Geographic Information Systems.
- O. “HFTD” means High Fire-Threat District as defined in CPUC General Order 95, Section II, item 21.2(D), and CPUC Decision 17.01.009 (pp. 39-40; Ordering Paragraphs 1 and 1(mm)) (“Fire Map 2”).<sup>2</sup> This term encompasses three areas:
  - a. Tree Mortality High Hazard Zone (HHZ) 1 on the U.S. Forest Service - CAL FIRE joint map of Tree Mortality HHZs (see D.17-01-009, pp. 39-40);
  - b. HFTD Tier 2, the elevated wildfire risk area included in Shape C map of the CPUC Fire-Threat Map (“Fire Map 2”) that was adopted in D.17.01.009, pp. 39-40; and
  - c. HFTD Tier 3, the extreme wildfire risk area included in Shape C map of the CPUC Fire-Threat Map (“Fire Map 2”) that was adopted in D.17.01.009, pp. 39-40.
- P. “Non-HFTD” means areas that are not designated as HFTD according to the definition above.
- Q. “Tier 2” means HFTD Tier 2, as defined in D.17.01.009, pp. 25, 39-40 and Ordering Paragraph 1(v).

---

<sup>2</sup> As modified by Commission Decision 20-12-030.

- R. “Tier 3” means HFTD Tier 3, as defined in D.17.01.009, pp. 25, 39-40 and Ordering Paragraph 1(v).
- S. “Other HFTD” means areas *outside of Tier 2 and Tier 3* that are designated as HFTD because they are included in Tree Mortality High Hazard Zone 1.
- T. “ECC” means PacifiCorp’s Emergency Coordination Center.

### **DATA REQUEST**

The following questions relate to your 2022 WMP Update submission.

#### **Question 1**

In PacifiCorp’s response to data request CalAdvocates-PacifiCorp-2022WMP-02, question 1, PacifiCorp states that:

Field inspection services perform field audits on facility points that are audited by the external contractor as well as facility points not previously audited by the external contractor. These facility points are recorded in a detailed facility point report (an example is provided as Attachment CalPA 2.1 -2) and this data is then accumulated into the Audit Summary, also provided in Attachment CalPA 2.1-2, with all desktop and field audits performed.

In reference to Attachment CalPA 2.1-2, [Audit Summary (CA) (2021).xlsx]:

- a) Please provide the criteria used to determine if an inspection merits a safety flag (column U).
- b) Please provide the criteria used to determine if a re-inspection is required (column V).
- c) Please provide the criteria used to determine if an inspection passes or fails (column L).
- d) Please explain how overall accuracy (column H) is calculated.

#### **Question 2**

In reference to the **Yreka 4/28/2021 audit (line 44)** in Attachment CalPA 2.1-2, [Audit Summary (CA) (2021).xlsx]:

- a) Please explain why the Yreka 4/28/2021 audit required a reinspection despite passing the audit.
- b) The Yreka 4/28/2021 audit is the only audit in this table that is marked as requiring a reinspection, yet column W (description of reinspection requirement) is blank. Describe the reinspection requirements for this audit.
- c) When did the reinspection (that was triggered by the Yreka 4/28/2021 audit) occur?
- d) Describe the findings of the reinspection triggered by the Yreka 4/28/2021 audit.

#### **Question 4**

In reference to Attachment CalPA 2.1-2, [Audit Summary (CA) (2021).xlsx]:

- a) Please explain why the Crescent City 6/14/2021 audit (line 17) did **not** require a reinspection (column V) despite having the lowest overall accuracy score listed in this table (column H) and having a safety flag in column U.
- b) Please explain why the Tulelake 10/5/2021 audit (line 24) did **not** require a reinspection (column V) despite having one of the lowest overall accuracy scores listed in this table (column H) and having a safety flag in column U.
- c) Please explain why the Tulelake 11/18/2021 audit (line 30) did **not** require a reinspection (column V) despite having one of the lowest overall accuracy scores listed in this table (column H) and having a safety flag in column U.

#### **Question 5**

In reference to Attachment CalPA 2.1-2, [Audit Summary (CA) (2021).xlsx], why are columns H through V blank for all desktop audits (rows 2 through 13)?

#### **Question 6**

In PacifiCorp's response to [CalAdvocates-PacifiCorp-2022WMP-02 – 2.2], PacifiCorp states that:

As part of the quality assurance (QA)/quality control (QC) process of asset inspections, the inspection contractor performs self-audits, some of which are joint audits with internal resources. The reports for these audits have been provided in Attachment CalPA 2.2.

In reference to Page 99, of attachment CalPA 2.2, [OSMOSE - 2021 Pacific Power Manual Overhead Quality Control Inspection.pdf]:

- a) Please explain why the overall accuracy is 97% in the OSMOSE report, yet the Audit Summary (CA) (2021) states that the overall accuracy is 95.5%.
- b) Please provide an explanation of why bird damage was removed from the inspection record.
- c) Please explain how PacifiCorp personnel employ judgment when determining whether to revise or alter inspection results.

**END OF REQUEST**